



## Data Logger for Vapour Shippers

# ShipsLog3™

## Temperature data logger providing an accurate and downloadable temperature history of your vapour shipper throughout its transit.

The ShipsLog3™ (SL3) data logger stores more than 32,000 temperature readings from the thermocouple fitted to the inside of the shipper lid. This will monitor and record the temperature of the shipper at the warmest part ensuring the samples in the core of the shipper are stored at the correct temperature and providing early alerts of potential warming issues.

The SL3 is easily set up using free downloadable EasyLog software\*, allowing the user to set

programmable alarm thresholds, logging rates and immediate, delayed or 'push to start' operation. The same software can be used to download and view data from the data logger at the end of transit, which can be graphed, printed and exported to provide a permanent audit trail.

Programming and downloading of data can be achieved by plugging the USB data logger into the USB port on the PC or using the SL3 Data transfer unit.\*\*

- Accurate temperature logger
- Fits a variety of different shippers
- LCD Display
- Suitable for 21 CFR Part 11 compliance
- User Programmable
- Provides auditable records
- Clear LED and LCD displays
- Replaceable lithium battery
- Easy to program and operate

**Want to find out more about monitoring?** [enquiries@planer.com](mailto:enquiries@planer.com)

\* EasyLog software or EasyLog CFR software required dependent on model of SL3.

\*\* Sold separately (not compatible with 21CFR version).



# Data Logger for Vapour Shippers

## Shipslog3™

Two versions of SL3 are available. The standard SL3 comes complete with a high contrast LCD display showing a variety of information at the touch of a button. If you require the extra security, a version of the SL3 that is suitable for 21 CFR compliance is also available

Both versions of the SL3 are fitted with red and green LEDs for immediate recognition of the logger status. The SL3 is fitted with a replaceable lithium metal battery which will typically give two years logging life.

ShipsLog3™ versions are available for various manufacturers of vapour and dry shippers. Please contact us for more details.

### TECHNICAL SPECIFICATIONS

Accuracy	±1 °C: data-logger ±1 °C: sensor, at 0 °C
Measurement Range	-200 °C to +390 °C: data-logger
Sensor Type	Type T thermocouple
Storage Temperature	-10 °C to 40 °C
Storage Relative Humidity (Non-condensing)	5 % to 95 %
Operating Temperature: Data-logger only	-10 °C to +40 °C
Operating Relative Humidity (Noncondensing)	0 % to 95 %

Specifications may change without notice. Third party trademarks acknowledged.

Ci053/V3

#### Planer Limited

110 Windmill Road, Sunbury-On-Thames  
Middlesex TW16 7HD, United Kingdom  
A Hamilton Thorne Company

**Tel:** +44 (0)1932 755 000  
enquiries@planer.com  
www.planer.com